



**Industrial enclosures  
and equipment**



**P. 242**  
Metal and plastic  
industrial boxes




**P. 250**  
Atlantic metal  
and stainless  
steel cabinets






## **Complete solutions for industrial applications**

**Specific products and systems, reliable and fully adapted for the most  
demanding industrial environments.**



# cabinets and equipment Atlantic, Atlantic stainless steel, Marina

EXTERNAL DIMENSIONS				ATLANTIC CABINETS (p. 250)				MARINA CABINETS (p. 260)	
Shapes	H (mm)	W (mm)	D (mm)	METAL IK 10		STAINLESS STEEL IP 66-IK 10		POLYESTER - IP 66 - IK 10	
				RAL 7035 IP 66	RAL 7035 equipped with plain plates IP 55	304 L	316 L	RAL 7035	RAL 7035 with glass door
	400	300	150	355 09 <sup>(1)</sup>	386 04				
	600	400	150		386 12				
	300	200	180	355 00 <sup>(1)</sup> supplied with plain plate	386 00	352 00 supplied with plain plate	352 40 supplied with plain plate	362 50	
	400	300	200	355 02	386 05	352 01	352 41	362 51	362 71
	500	400	200	355 03	386 09	352 02	352 42	362 52	362 72
	600	400	200	355 04	386 13				
	600	600	200		386 16				
	800	600	200		386 22				
	500	400	250	355 07					
	600	400	250	355 08	386 14	352 05	352 45	362 55	362 75
	700	500	250	355 12	386 21	352 06	352 46	362 56	362 76
	800	600	250	355 14	386 23				
	1000	600	250	355 17					
	1000	800	250	355 18	386 28				
	700	500	300	355 22					
	800	600	300	355 23	386 24	352 11	352 47	362 61	362 81
	1000	600	300	355 26					
	1000	800	300	355 27	386 29	352 13	352 53	362 63	362 83
	1200	800	300	355 92	386 30	352 14		362 64	362 84
	1200	1000	300	355 93 <sup>(2)</sup>		352 16 <sup>(4)</sup>			
1400	1000	300	355 95 <sup>(2)</sup>						
800	600	400	355 28						
1000	800	400	355 29						
1200	800	400	355 96						
1400	800	400	355 98		352 15				
	300	300	150	355 05 <sup>(1)</sup>					
	300	300	200	355 30					
	400	400	200	355 31	386 06				
	500	500	250	355 32					
	600	600	250	355 10					
	800	800	250	355 15					
	600	600	300	355 20					
	800	800	300	355 24					
	1000	1000	300	355 91 <sup>(2)</sup>					
	1200	1200	300	355 94 <sup>(2)</sup>					
	600	600	400	355 36					
	1200	1200	400	355 97 <sup>(2)</sup>					
	300	400	200	355 01					
	400	600	250	355 06					
	800	1000	250	355 33 <sup>(2)</sup>					
	600	800	300	355 21 <sup>(2)</sup>					
	600	1000	300	355 37 <sup>(2)</sup>					
800	1000	300	355 34 <sup>(2)</sup>						
1000	1200	300	355 90 <sup>(2)</sup>						

(1) Without cable entries plate - (2) 2 doors - (3) Usable area: 800 x 640 mm - (4) Crosspieces to be cut (2 m height) can be used for cabinets width 1000 and 1200 (see p. 266) - (5) Use kit Cat.No 364 98 (p. 251) for direct mounting on Marina cabinets - (6) 2 doors version, IP 55  
 (A) For Atlantic - (M) For Marina

# Atlantic metal cabinets

IP 55/IP 66 - IK 10 - Nema 4x - Nema 12



TÜV



00007



007 00



007 00 with add. Cat.No 367 00 (p. 268)



00007

**Dimensions and material characteristics (p. 252)**  
**Equipment (p. 261)**

IP 66 according to standards IEC EN 60529 for 1 doors cabinets  
 IP 55 according to standards IEC EN 60529 for 2 doors cabinets  
 IK 10 according to standards IEC EN 62202  
 LCIE 456444  
 Nema 4x, 1 door, Nema 12, 2 doors - JEL, USA, Bureau Veritas, TÜV, QOSI agreements  
 Excellent resistance to corrosion and chemical agents  
 80 µ thick textured polyester coating  
 Anti-corrosion treatment for hinges and axles  
 Reversible door - One locking point  
 Locking with key 2433 A (2 keys supplied)  
 Up to 300 mm height, fitted with latch for height upper than 300 mm, fitted with lever  
 Low cable entries RAL 7035  
 Optional depth regulation for cabinets 400 mm depth Cat.No 367 45 (p. 252)

PACK	CAT.NOS	External dimensions (mm)			Number of doors	Weight (kg)
		Height	Width	Depth		
1	355 09 <sup>1)</sup>	400 x	300 x	150	1	6.3
1	355 03 <sup>2)</sup>	300 x	200 x	160	1	4.2
1	355 02	400 x	300 x	200	1	6.5
1	355 03	500 x	400 x	200	1	9.7
1	355 04	600 x	400 x	200	1	10.7
1	355 07	500 x	400 x	250	1	10.7
1	355 08	600 x	400 x	250	1	12
1	355 12	700 x	500 x	250	1	16.5
1	355 14	800 x	600 x	250	1	18.8
1	355 17	1000 x	600 x	250	1	24
1	355 18	1000 x	800 x	250	1	36.4
1	355 22	700 x	500 x	300	1	23
1	050 23	800 x	600 x	300	1	28.0
1	355 26	1000 x	600 x	300	1	33.3
1	355 27	1000 x	800 x	300	1	42
1	355 32	1200 x	800 x	300	1	49.6
1	355 93	1200 x	1000 x	300	2	62.2
1	355 95	1400 x	1000 x	300	2	71
1	355 28	800 x	600 x	400	1	31
1	050 29	1000 x	800 x	400	1	45
1	355 96	1200 x	800 x	400	1	57
1	355 98	1400 x	800 x	400	1	64

PACK	CAT.NOS	External dimensions (mm)			Number of doors	Weight (kg)
		Height	Width	Depth		
1	355 01	300 x	400 x	200	1	6.5
1	355 06	400 x	600 x	250	1	11.7
1	355 33	800 x	1000 x	250	2	27
1	355 21	600 x	800 x	300	2	28.8
1	355 37	600 x	1000 x	300	2	32
1	355 34	800 x	1000 x	300	2	33.3
1	355 90	1000 x	1200 x	300	2	62.2

PACK	CAT.NOS	External dimensions (mm)			Number of doors	Weight (kg)
		Height	Width	Depth		
1	355 05 <sup>1)</sup>	300 x	300 x	150	1	4.1
1	355 30	300 x	300 x	200	1	4.2
1	355 31	400 x	400 x	200	1	7.7
1	355 32	500 x	500 x	250	1	11.5
1	355 10	600 x	600 x	250	1	16.3
1	355 15	800 x	800 x	250	1	21.8
1	355 20	600 x	600 x	300	1	21.1
1	355 24	800 x	800 x	300	1	34.2
1	355 91	1000 x	1000 x	300	2	53
1	355 94	1200 x	1200 x	300	2	70
1	355 36	600 x	600 x	400	1	28
1	355 97	1200 x	1200 x	400	2	77